5) REFERENCES:

1. Hamaza Y. E. and Aburahama M. H., 2009. Design and *in vitro* evaluation of novel sustained release double layer tablets of Lornoxicam utility of cyclodextrin and xanthan gum combination. AAPS Pharm Sci Tech.10, 1357-1367.
2. Kaza R. and Nagaraju R., 2010. Formulation and evaluation of bilayer sustained release tablets of Salbutamol and Theophyline. Int J pharm Sci nanotech2, 638-646.
3. Khar R. K. , Ali. M and Rahman A., 2006. Design and evaluation of bilayer floating tablets of Captopril. Acta Pharm. 56, 49-57.
4. Lee L., 1992. Diffusion-Controlled matrix systems. A kydonieus (Ed.), Treatise on Contr. D Del marcel Dekker. New York. 155-196.
5. Maggi L., Machiste E. O., Torre M. L., and Conte U., 1999. Formulation of biphasic release tablets containing slightly soluble drugs. Eur J Pharm Biopharma. 48, 37-42.
6. Mandal U. and Pal T. K., 2008. Formulation and in vitro studies of a fixed dose combination of bilayer matrix tablet containing Metformin Hydrochloride as a sustained release and Glipizide as immediate release. Drug Del Ind pharm. 34, 305-313.
7. Narendra C., Srinath M. S. and Ganesh B., 2006. Optimization of bilayer floating tablet containing metoprolol tartarate as a model drug for gastric retention. AAPS Pharm Sci Tech. 7(2), 34.
8. Ozdemir N. Ordu S. and Ozkan Y., 2000. Studies of floting dosage forms Furosemide: *in vitro* and *in vivo* evaluation of bilayer tablet formulations. Drug Dev Ind Pharm. 26 (8), 857-866.
9. Patel V. M., Prajapati B. G., and Patel M. P., 2007. Formulation, evaluation, aomparisonof bilayered and multilayered mucoadhesive buccal devices of propranolol hydrochloride. AAPS Pharm Sci Tech. 8(1), 22.
10. Singh S. P., Devi M. V., Pandit S. P., Kumar A. B., and Patra C. N., 2007. Design and evaluation of sustained release bilayer tablets of Propranolol hydrochloride. Acta pharm. 57 (4), 479-489.
11. Surana S., Gattani S., and Shiyani B., 2008. Formulation and evaluation of bilayer tablet of Metoclopramide hydrochloride and Ibuprofen. AAPS Pharm Sci Tech. 9(3), 818-827.

12. Vaithialingam S. R. and Sayeed V. A., 2010. Critical factors in manufacturing multi layer tablets assessing material attributes, in process controls, manufacturing process and product performance Int J Pharm. 398, 9-13.
13. Wei Z., Yu Z., and Bi D., 2001. Design and evaluation of a two layer floting tablet for gastric retention using cisapride as a model drug. Drug Dev Ind pharm. 27 (5), 469-474.
14. Panchal H., Tiwari A., 2012. A Novel approch of bilayer Tablet technology: a review. Int Research J Pharmacy. 3(5), 44-49.
15. Kalra B., Agrawal N., 2010. Combination therapy in hypertension: An update. Diabetology & Metabolic Syndrome. Doi: 10.1186/1758-5996-2-44.
16. Jayaprakash S., Mohamed S., Pillai K., Balasubramaniyam P., Mohamed P., Boopathi M., 2011. Formulation and evaluation of bilayer tablets of amlodipine besilate and metprolol succinate. Scholars Research Library. 3 (4), 143-154.
17. Stanton T., Reid J., 2002. Fixed dose combination therapy in the treatment of hypertension. J Human Hypertension. 16, 75–78.
18. Rahman S., Florida S.. Ashraful Islam Md., Abdullah Al Masum., 2012. Formulation and Evaluation of Bi-layered Sustained Release Matrix Tablets of Tramadol Hydrochloride J Applied Pharmaceutical Science 02 (06), 129-134.
19. Atram SC, Udavant YK., Salunke RJ., Neb GB., Shahi SR., Gulecha BS., Padalkar AN., 2009. Formulation of bilayer tablet containing metoprolol succinate and amlodipine besylate as a model drug for antihypertensive therapy J Pharmacy Research 2(8),1335-1347.
20. S. Ashutosh Kumar, Manidipa Debnath, Y. Indira Muzib, J.V.L.N.Seshagiri Rao, V. Raghu Murthy, 2012. Studies on formulation development and in vitro release Kinetics of novel bilayer tablets of ramipril immediate release and metoprolol succinate sustained release. International J Advances in Pharmaceutical Research 3(9), 1152 – 1166.
21. Shubhangi B. Bagde, B. V. bakde, M. A. Channawar, A. V. Chandewar., 2011. Formulation and Evaluation of Bilayer Tablet of Metoprolol Succinate and Ramipril. 3(4), 174-178.
22. K. Kannan*, M.Manikandan, G. Periyasamy, R. Manavalan., 2012. Design, Development and Evaluation of Metoprolol Succinate and Hydrochlorothiazide Bilayer Tablets. 4(3), 1827 – 1835.

23. S.Brito Raj, G.Sravani1, N.Bhanupriya, M.Veerupakshi1, B.AnilKumar, and S.Wasim Raja, 2011. Design and Evaluation of Sustained Release Bilayer Tablet of Metformin Hydrochloride with Metoprolol Tartrate. Intl J Novel Tr Pharm Sci 1 (1), 10-17.
24. Ashok Kumar. S, Duraivel. S, Pragathikumar.B, Design, 2012. Development and Evaluation of Bilayered Tablets Containing Amlodipine Besilate as Immediate Release and Metprolol Succinate as Sustained Release. International Journal of Current Pharmaceutical Review and Research, 3(4), 130-143.
25. R.Z. Mujoriya, Venkateshvarlu, D.C. Singh, V.A. Gupta, A Bisen, and A.B. Bondre, 2010. Formulation Development and Evaluation of Metoprolol Succinate ER and Amlodipine Besilate Bilayer Tablet. Research J. Pharm. and Tech. 3(4), 1-4.
26. S. Jayaprakash, S. Mohamed Halith, K.Kulathuran Pillai, Priya Balasubramaniyam, P. U. Mohamed Firthouse, M .Boopathi, 2011. Formulation and evaluation of bilayer tablets of amlodipine besilate and metprolol succinate. 3 (4), 143-154.
27. N.N.rajendran, R.Natarajan, R. Subashini, Hitesh patel, 2011. Formulation and evaluation of sustained release bilayer tablets of metformin HCl and pioglitazoneHCl. 3 (3), 118-122.
28. Wolfram E., (2006). Bilayer tablet of Telmisartan and Amlodipine. Pub No.: US 20060110450A1.
29. Patel A., (2005). Bilayer tablet comprising an antihistamine and a decongestant. Pub No. US20050220877A1
30. Friedl T., (2005). Bilayer tablet comprising an antihistamine and a decongestant. Pub No. US20050220877A1
31. Abebe A,. (2012). Bilayer tablet formulation. Pub No. US20120282336A1
32. Guerrero M., (2009). Bilayer tablet for preventing cardiovascular events. Pub No.: US20090196922A1